

## List of Publications

Andia, P.C., F. Costanzo, and G.L. Gray, 2000 “On the estimation of intrinsic stresses and elastic moduli in thin films,” in *Complex Mediums* (A. Lakhtakia, W. S. Weiglhofer, and R. F. Messier, eds.), vol. 4097 of Proceedings of SPIE, SPIE—The International Society for Optical Engineering, Bellingham, WA, pp. 280–290, proceedings of SPIE’s 45th Annual Meeting, 30 July–1 August, 2000, San Diego, CA.

Andia, P.C., F. Costanzo, G.L. Gray, and T.J. Yurick, 2001, “Calculation of intrinsic stresses and elastic moduli in nonhomogeneous thin films”, in *Multiscale Modeling of Materials–2000* (L. Kubin, R.L.B. Selinger, J.L. Bassani, and K. Cho, eds.), Vol. 653 of Materials Research Society Symposium Proceedings, Materials Research Society, Pittsburgh, PA, pp. Z10.3.1–Z10.3.6.

Andia, P.C., F. Costanzo, and G.L. Gray, 2005, “A Lagrangian-based continuum homogenization approach applicable to molecular dynamics simulations,” *International Journal of Solids and Structures*, Vol. 42, No. 24–25, pp. 6409–6432.

Andia, P.C., F. Costanzo, and G.L. Gray, 2006, “A classical mechanics approach to the determination of the stress-strain response of particle systems,” *Modelling and Simulation in Materials Science and Engineering*, Vol. 14, pp. 741–757.

Arnold, S.M., A.F. Saleeb, L. Powers, C.J. Lissenden, 2005, “High temperature characterization and prediction of Timetal 21S cyclic and cyclic-relaxation deformation behavior using a multimechanism viscoelastoplastic model,” In: *Dislocations, Plasticity, Damage and Metal Forming: Material Response and Multiscale Modeling*, A.S. Khan and A.R. Khoei, Eds., Neat Press, pp. 175-177.

Bakis, C.E., Bhat, B.B., Schokker, A.J., and Boothby, T.E., 2001, “Flexure of Concrete Beams Prestressed with FRP Tendons,” *FRPRCS-5 Proceedings: Non-Metallic Reinforcement for Concrete Structures*, Cambridge.

Barshinger, J., Rose, J.L., 2004, “Guided Wave Propagation in an Elastic Hollow Cylinder Coated with a Viscoelastic Material,” *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, 51:1547-1556.

Bell, B. and Linzell, D., 2007, “Erection Procedure Effects on Deformations and Stresses in a Large Radius, Horizontally Curved, I-Girder Bridge,” *ASCE Journal of Bridge Engineering*, v12, n1, pp. 467-476.

Bian, H., Shi., Y., and Rose, J.L., 2004, “Laser-based ultrasonic tomographic imaging of powder metal compacts,” *Review of Progress in Quantitative Nondestructive Evaluation*, edited by D.O. Thompson and D.E. Chimenti, Plenum Press, 23:682-686.

Bian, H., Rose, J.L., 2004, “A Physical Interpretation of Elastic Guided-Wave Reflection from Normal Ends of a Wave Guide,” *IEEE Transactions on Ultrasonics, Ferroelectrics and Frequency Control*, 51:839-848.

Bian, H., Rose, J.L., 2005, “Sparse Array Ultrasonic Guided Wave Tomography,” *Materials Evaluation*, 63:1035-1038.

Bricker, M.A. and Schokker, A.J., 2002, “Corrosive Bleed Water in Post-Tensioned Tendons,” *Proceedings of the Concrete Bridge Conference*, Nashville, TN.

- Caiazzo, A.A. and F. Costanzo, 2000, "On the effective elastic properties of composites with evolving microcracking," *Journal of Reinforced Plastics and Composites*, Vol. 19, No. 2, pp. 152–163.
- Caiazzo, A.A. and F. Costanzo, 2000, "On the constitutive relations of materials with evolving microstructure due to microcracking," *International Journal of Solids and Structures*, Vol. 37, pp. 3375–3398.
- Caiazzo, A.A. and F. Costanzo, 2001, "Effective 3D constitutive relations of composites with evolving damage," *Journal of Engineering Mechanics*, Vol. 127, No. 7, pp. 661–666.
- Caiazzo, A.A. and F. Costanzo, 2001, "Modeling the constitutive Behavior of layered composites with evolving cracks," *International Journal of Solids and Structures*, Vol. 38, No. 20, pp. 3469–3485.
- Cheng, Z.Y., T.B. Xu, Q.M. Zhang, R. Mayer, D. Van Tol, and J. Hughes, 2002, "Design, Fabrication, and Performance of a Flextensional Transducer Based on Electrostrictive P(VDF-TrFE) Copolymer," *IEEE Trans. UFFC*. Vol. 49:1312.
- Choo, T., Linzell, D., Lee, J. and Swanson, J., 2005, "Response of a Continuous, Skewed, Steel Bridge during Deck Placement," *Journal of Constructional Steel Research*, v61, n5, pp. 567-586.
- Chu, B., Xin Zhou, Kailiang Ren, Bret Neese, Minren Lin, Qing Wang, F. Bauer, and Q. M. Zhang, 2006, "A Dielectric Polymer with High Electric Energy Density and Fast Discharge Speed," *Science* Vol. 313:334.
- Colaiuta, J.F., C.J. Lissenden, and B.A. Lerch, 2001, "Behavior of three metallic alloys under combined axial-shear stresses at elevated temperature," *Proceedings of the Sixth International Conference on Biaxial/Multiaxial Fatigue and Fracture* (M.M. de Freitas, Ed.) European Structural Integrity Society, pp. 901-908.
- Cole, T., Lopez, M., Ziehl, P., 2006, "Fatigue Behavior and Nondestructive Evaluation of Full-Scale FRP Honeycomb Bridge Specimen," *ASCE Journal of Bridge Engineering* **11:4**. pp. 420-429.
- Costanzo, F., 2001, "An analysis of 3D crack propagation using cohesive zone models and the theory of configurational forces," *Mathematics and Mechanics of Solids*, Vol. 6, No. 2, pp. 149–173.
- Costanzo, F. and J.R. Walton, 2002, "Steady growth of a crack with a temperature sensitive cohesive zone," *Journal of the Mechanics and Physics of Solids*, Vol. 50, pp. 1649–1679.
- Costanzo, F., G.L. Gray, and P.C. Andia, 2004, "On the notion of average mechanical properties in MD simulation via homogenization," *Modelling and Simulation in Materials Science and Engineering*, Vol. 12, pp. S333–S345.
- Costanzo, F. and H. Huang, 2005, "Proof of unconditional stability for a single-field discontinuous Galerkin finite element formulation for linear elasto-dynamics," *Computer Methods in Applied Mechanics and Engineering*, Vol. 194, No. 18–2, pp. 2059–2076.
- Costanzo, F., G.L. Gray, and P.C. Andia, 2005, "On the definitions of effective stress and deformation gradient for use in MD: Hill's macro-homogeneity and the virial theorem," *International Journal of Engineering Science*, Vol. 43, No. 7, pp. 533–555.

- DeSalvo, J.R. and Schokker, 2006, "Influence of Vibration at Early Ages for Post-Tensioning Grouts," *PTI Journal*, Vol. 4, No.1.
- Daniel, J., G.R. Chehab, Y.R. Kim, 2004, "Issues Affecting Measurement of Fundamental Asphalt Mixture Properties", *Journal of Materials in Civil Engineering*, ASCE, Vol. 16, Issue 5, 469-476.
- Domalik, D.E., Shura, J.F. and Linzell, D.G., 2005, "Design and Field Monitoring of Horizontally Curved Steel Plate Girder Bridge," *Transportation Research Record, Journal of the Transportation Research Board No. 1928*, pp. 83-91.
- Fennema, J.L., Laman, J.A. and Linzell, D.G., 2005, "Predicted and Measured Response of an Integral Abutment Bridge," *ASCE Journal of Bridge Engineering*, v10, n6, pp. 666-677.
- Gao, W., Du, J., and Tittmann, B.R., 2000, "Contrast and elasticity analysis by ultrasonic force microscopy (U-AFM)," *Progress in Nondestructive Evaluation*, Vol. 20B:1389-94.
- Gao, H., Shi, Y., Rose, J.L., 2005, "Guided Wave Tomography on an Aircraft Wing with Leave in Place Sensors," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 24:1788-1794.
- Gao, H., Rose, J.L., 2006, "Ultrasonic Sensor Placement Optimization in Structural Health Monitoring Using Evolutionary Strategy," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, pp. 25:1687-1693.
- Gao, H., Guers, M., Rose, J.L., Zhao, X., Kwan, C., 2006, "Ultrasonic Guided Wave Annular Array Transducers for Structural Health Monitoring," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 25:1680-1686.
- Gavigan, B.J., Zhang, L., Sun, Z., Rose, J.L., 2005, "Experimental Phased Array Focusing in Pipe Using Ultrasonic Guided Waves," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 24:1773-1779.
- Geng, X., Q.M. Zhang, 1997, "Evaluation of Piezocomposites for Ultrasonic Transducer Applications -- Influence of the Unit Cell Dimensions and the Properties of Constituents on the Performance of 2-2 Piezocomposites," *IEEE Trans. UFFC*. Vol. 44:857-872.
- Geng, X. and Q.M. Zhang, 1999, "Resonance Modes and Losses in 1-3 Composites for Ultrasonic Transducer Applications," *J. Appl. Phys.* Vol. 85:1342-1350.
- Glazounov, A.E., S. Wang, Q.M. Zhang, and C. Kim, 2000, "Piezoelectric Stepper Motor with Direct Coupling Mechanism to Achieve High Efficiency and Precise Control of Motor," *IEEE Trans. UFFC*, Vol. 47(4):1059-1068.
- Hay, T.R., Rose, J.L., 2004, "Interfacing Guided Wave Ultrasound with Wireless Technology," *Smart Structures and Materials 2004: Sensors and Smart Structures Technologies for Civil, Mechanical, and Aerospace Systems*, edited by Shih-Chi Liu, *Proc. of SPIE*, 5391:314-320.
- Hay, T.R., Rose, J.L., 2006, "Flexible Piezopolymer Ultrasonic Guided Wave Arrays," *Correspondence in IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, 53:1212-1217.
- Hay, T.R., Royer, R.L., Gao, H., Zhao, X., Rose, J.L., 2006, "A comparison of embedded sensor Lamb wave ultrasonic tomography approaches for material loss detection," *Smart Materials and Structures*, 15:946-951.

- Hayashi, T., Kawashima, K., Rose, J.L., 2004, "Calculation for Guided Waves in Pipes and Rails," *Key Engineering Materials, Advances in Nondestructive Evaluation*, 270-273:410-415.
- Hayashi, T., Kawashima, K., Sun, Z., Rose, J.L., 2005, "Guided Wave Focusing Mechanics in Pipe," *ASME Transactions Journal of Pressure Vessel Technology*, 127:317-321.
- Hayashi, T., Kawashima, K., Sun, Z., Rose, J.L., 2005, "Guided Wave Propagation Mechanics Across a Pipe Elbow," *ASME Transactions Journal of Pressure Vessel Technology*, 127:322-327.
- He, C., Van Velsor, J.K., Lee, C.M., Rose, J.L., 2006, "Health Monitoring of Rock Bolts Using Ultrasonic Guided Waves," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 25:195-201.
- Huang, H. and F. Costanzo, 2002, "On the use of space-time finite elements in the solution of elasto-dynamic problems with strain discontinuities," *Computer Methods in Applied Mechanics and Engineering*, Vol. 191, No. 46, pp. 5315-5343.
- Huang, H. and F. Costanzo, 2004, "On the use of space-time finite elements in the solution of elasto-dynamic fracture problems," *International Journal of Fracture*, Vol. 127, No. 2, pp. 119-146.
- Iyer, S.K. and C.J. Lissenden, 2003, "Multi-axial constitutive model accounting for the strength differential in Inconel 718," *Int. J. Plasticity*, Vol. 19, pp. 2055-2081.
- Iyer, S., Schokker, A.J., and Sinha, S., 2003, "Ultrasonic C-Scan Imaging- Preliminary Evaluation for Detecting Corrosion and Voids in Post-tensioning Tendons," *Transportation Research Record, Journal of the Transportation Research Board*, No. 1827, National Research Council, Washington, D.C., pp. 44-52.
- Iyer, S., Sinha, S., and Schokker, A.J., 2005, "Ultrasonic C-Scan Imaging of Post-Tensioned Concrete Bridge Structures for Detection of Corrosion and Voids," *Computer-Aided Civil and Infrastructure Engineering*, Vol.20, No.5, pp. 79-94.
- Kale, V., T. Kumar, and G. Chehab, 2006, "Material Characterization Techniques for Glass Fiber Reinforced Stress Absorbing Membrane Interlayer," *The 43rd Annual Technical Meeting of the Society of Engineering Science*, University Park, PA.
- Kim, J.O., Rose, J.L., 2005, "Thin-Shell Approach for Elastic Wave Propagation in a Pipe with Liquid," *Journal of Mechanical Science and Technology*, 19:1087-1094.
- Kurgan, G., Tepke, D.G, Schokker, A.J., Tikalsky, P.J., and Scheetz, B., 2004, "The Effects of Blended Cements on Concrete Porosity, Chloride Penetrability, and Resistivity," *Proceedings of the 8<sup>th</sup> ACI/CANMET International Conference on Fly Ash, Silica Fume, Slag, and Natural Pozzolans in Concrete*, M. Malhotra, ed., ACI SP-221.
- Lebold, M.S., K. Maynard, K. Reichard, M. Trethewey, D. Bieryla, C. Lissenden, D. Dobbins, 2004, "Using torsional vibration analysis as a synergistic method for crack detection in rotating equipment," *2004 IEEE Aerospace Conference Proceedings*, Vol. 6, pp. 3517-3526.
- Lee, C.M., Rose, J.L., Luo, W., 2005, "A Computational Tool for Defect Analysis in Rail with Ultrasonic Guided Waves," submitted to the *Journal of the Korean Society for Nondestructive Testing*.

- Lei, X. and C.J. Lissenden, 2001, "Finite element simulation of ausforming of austempered ductile iron components," *J. Manufacturing Science & Engineering* Vol. 123, pp. 420-425.
- Lei, X. and C.J. Lissenden, 2003, "Tensile, compressive, and shear response of a particulate reinforced aluminum composite," *Composite Materials: Testing and Design Fourteenth Volume, ASTM STP 1436* C.E. Bakis, Ed. ASTM International, West Conshohocken, pp. 255-271.
- Lei, X. and C.J. Lissenden, 2007, "Pressure sensitive nonassociative plasticity model for DRA composites," *J. Engng. Mater. Tech.* Vol. 129, pp. 255-264.
- Li, J., Rose, J.L., 2006, "Natural beam focusing of non-axisymmetric guided waves in large-diameter pipes," *Ultrasonics*, 44:35-45.
- Linzell, D.G., Nevling, D.L., Kollias, A.A. and Laman, J.A., 2002, "Experimental and Numerical Response of a 1915 Through-Girder Bridge," *Transportation Research Record, Journal of the Transportation Research Board No. 1814*, pp. 127-134.
- Linzell, D.G., Leon, R.T. and Zureick, A.H., 2004, "Experimental and Analytical Studies of a Horizontally Curved Steel I-Girder Bridge during Erection," *ASCE Journal of Bridge Engineering*, v9, n6, November/December 2004, pp. 521-530.
- Linzell, D.G., Zureick, A. and Leon, R.T., 2003, "Instrument Planning and Validation for Full-Scale Bridge Testing," *Experimental Techniques*, v27, n3, pp. 29-33.
- Lissenden, C.J., S.M. Arnold, and A.F. Saleeb, 2001, "Plastic coupling and stress relaxation during nonproportional axial-shear strain-controlled loading," *J. Pressure Vessel Technology*, Vol. 123, pp. 81-87.
- Lissenden, C.J., 2002, "Discussion: A critical reexamination of classical metal plasticity," *J. Appl. Mech.* Vol. 69, p. 712.
- Lissenden, C.J. and N.J. Salamon, 2004, "Design project for advanced mechanics of materials," *Int. J. Engng. Education*, Vol. 20, pp. 103-112.
- Lissenden, C.J. and X. Lei, 2004, "A more comprehensive method for yield locus construction for metallic alloys and composites," *Exp. Mechanics*, Vol. 44, pp.10-20.
- Lissenden, C.J., J.F. Colaiuta, and B.A. Lerch, 2004, "Hardening behavior of three metallic alloys under combined stresses at elevated temperature," *Acta Mech.* Vol. 169, pp. 53-77.
- Lissenden, C.J., F. Yan, E.T. Hauck, D.M. Noga, and J.L. Rose, 2007, "Internal damage detection in a laminated composite plate using ultrasonic guided waves," In: *Review in Quantitative Nondestructive Evaluation*, Vol. 26B, D.O. Thompson and D.E. Chimenti, Eds., American Institute of Physics, pp. 1029-1035.
- Lissenden, C.J., S.P. Tissot, M.W. Trethewey, and K.P. Maynard, 2007, "Torsion response of a cracked stainless steel shaft," *Fat. Fract. Engng. Mat.* Vol. 30, pp. 734-747.
- Lissenden, C.J., D. Doraiswamy, and S.M. Arnold, 2007, "Experimental investigation of cyclic and time-dependent deformation of titanium alloy at elevated temperature," *Int. J. Plasticity*, Vol. 23, pp. 1-24.
- Lopez, M. M., 2002, "Material Testing and Cyclic Fatigue Test of an FRP Beam," Final Report. Kansas Structural Composites, Inc. Research Project KSCI-01-03/04.

- Lopez, M.M., Naaman, A.E., Hill, R. Pinkerton, L., 2003, "Behavior of RC Beams Strengthened with FRP Laminates and Tested under Cyclic Loading at Low Temperatures," *Journal of Materials and Product Technology*, Vol. 19:1/2 pp. 108-117.
- Luo, W., Rose, J.L., and H. Kwun, 2004, "Circumferential Shear Horizontal Wave Axial-Crack Sizing in Pipes," *Research in Nondestructive Evaluation*, 15:149-171.
- Luo, W., Rose, J.L., 2004, "Lamb Wave Thickness Measurement Potential with Angle Beam and Normal Beam Excitation," *Materials Evaluation*, 62:860-866.
- Luo, W., Zhao, X., Rose, J.L., 2005, "A Guided Wave Plate Experiment for a Pipe," *ASME Transactions Journal of Pressure Vessel Technology*, 127:345-350.
- Luo, W., Zhao, X., Rose, J.L., 2005, "Guided Wave Scattering and Mixed Mode Conversions from 3-Dimensional Defects," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 24:105-111.
- Luo, W., Rose, J.L., Van Velsor, J.K., 2006, "Circumferential Guided Waves for Defect Detection in Coated Pipe," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 25:165-172.
- Luo, W., Rose, J.L., Van Velsor, J.K., Mu, J., 2006, "Phased-Array Focusing with Longitudinal Guided Waves in a Viscoelastic Coated Hollow Cylinder," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 25:869-876.
- Luo, W., Rose, J.L., Zhu, Y., 2007, "Coating Property Effects on Guided Wave Attenuation in Viscoelastic Coated Pipes," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 26:124-130.
- Luo, W., Rose, J.L., 2007, "Phased Array Focusing with Guided Waves in a Viscoelastic Coated Hollow Cylinder," *Journal of the Acoustical Society of America*, 121:1945-1955.
- Lynnworth, L.C., Cohen, R., Rose, J.L., Kim, J.O., Furlong, E.R., 2006, "Vortex Shedder Fluid Flow Sensor," *IEEE Sensor Journal*, 6:1488-1496.
- Maneetes, H. and Linzell, D.G., 2003, "Cross Frame and Lateral Bracing Influence on Curved Steel Bridge Free Vibration Response," *Journal of Constructional Steel Research*, v59, pp. 1101-1117.
- Miyasaka, C., Tittmann, B.R., 2000, "Recent advances in acoustic microscopy for nondestructive evaluation," *J. Pressure Vessel Technol.* Vol. 122:374-378.
- Miyasaka, C. and Tittmann, B.R., 2004, "Ultrasonic-atomic force microscopy on spray-dried ceramic powders," in *Acoustical Imaging Vol. 27*, (W. Arnold and S. Hirsekorn, Eds.), Dordrecht & New York: Kluwer Academic/Plenum Publishers, pp. 707-712. (27<sup>th</sup> International Acoustical Imaging Symposium, Saarbrücken, Germany, March 24-26, 2003.)
- Miyasaka, C. and Tittmann B.R., 2005, "Acoustic microscopy applied to ceramic pressure vessels and associated components," *J. Pressure Vessel Technol.* Vol. 127:214-219.
- Miyasaka, C. and Tittmann, B.R., 2002, "Application of scanning acoustic microscopy to electric and electronic parts," in *Microelectronic Failure Analysis—Desk Reference 2002 Supplement*, (Electronic Device Failure Analysis Society Publications Committee, Eds.), ASM International, Materials Park, OH, pp. 115-123.

- Miyasaka, C. and Tittmann, B.R., and Tanaka, S.I., 2002, "Stress characterization of a ceramic/metal jointed interface collimated x-ray beam radiography and scanning acoustic microscopy," *Nondestructive Testing and Evaluation*, Vol. 18:131-148.
- Miyasaka, C., Tittmann, B.R., and Tanaka, S.I., 2002, "Characterization of stress at a ceramic/metal joint interface by the V(z) technique of scanning acoustic microscopy," *J. Pressure Vessel Technol.*, Vol. 124:336-342.
- Mu, J., Zhang, L., Rose, J.L., Spanner, J., 2006, "Defect Sizing in Pipe Using an Ultrasonic Guided Wave Focusing Technique," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 25:760-766.
- Mu, J., Zhang, L., Rose, J.L., Spanner, J., 2007, "Long Range Ultrasonic Guided Wave Focusing in Pipe for Large Defect Circumferential Length Analysis," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 26:131-135.
- Mu, J., Rose, J.L., 2007, "Long Range Ultrasonic Guided Wave Focusing in Pipe Using a Phased-Array System," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 26:158-162.
- Nevling, D., Linzell, D. and Laman, J., 2006, "Examination of Level of Analysis Accuracy for Curved I-Girder Bridges through Comparisons to Field Data," *ASCE Journal of Bridge Engineering*, v11, n2, pp.160-168.
- Norton, E.K., Linzell, D.G., and Laman, J.A., 2003, "Examination of Response of a Skewed Steel Bridge Superstructure during Deck Placement," *Transportation Research Record, Journal of the Transportation Research Board No. 1845*, pp. 66-75.
- Ohno, M., Miyasaka, C., and Tittmann, B.R., 2001, "Pupil function splitting method in calculating acoustic microscopic signals for elastic discontinuities," *J. Wave Motion & Sound*, Vol. 33:309-20.
- Ohno, M., Tittmann, B.R., Kokubo, A., Takagi, K., 2001, "Incident-angle dependence of the phase conjugate reflectivity by nonlinear piezoelectric interaction in PZT ceramics," *J. Ultrasonics*, Vol. 39:425-428.
- Owens, S.E., Hauck, E.T., Rose, J.L., 2005, "A Novel Couplant Free Mediator Ultrasonic Rayleigh Wave Technique for Detecting Surface Cracks in Green Parts," *SAE 2004 Transactions Journal of Materials and Manufacturing*, 5:205-213.
- Pacheco, A., Schokker, A.J., and Hamilton, H.R., 2007, "Revisions to the Accelerated Corrosion Test Method for Post-Tensioning Grouts," *ACI Materials Journal*, Vol. 4, No. 2, American Concrete Institute, Farmington Hills, MI, pp. 123-128.
- Paul, M., Laman, J.A. and Linzell, D.G., 2005, "Thermally Induced Superstructure Stresses in Prestressed Girder Integral Abutment Bridges," *Transportation Research Record: Journal of the Transportation Research Board, CD 11-S*, pp. 287-297.
- Randow, C.L., G.L. Gray, and F. Costanzo, 2006, "A directed continuum model of micro- and nano-scale thin films", *International Journal of Solids and Structures*, Vol. 43, No. 5, pp. 1253-1275.
- Rose, J.L., 2004, "Ultrasonic Guided Waves in Structural Health Monitoring," *Key Engineering Materials, Advances in Nondestructive Evaluation*, 270-273:14-21.

- Rose, J.L., Zhang, L., Avioli, M.J., Mudge, P.J., 2005, "A Natural Focusing Low Frequency Guided Wave Experiment for the Detection of Defects Beyond Elbows," *ASME Transactions Journal of Pressure Vessel Technology*, 127:310-316.
- Rose, J.L., 2005, "Nondestructive Testing at Penn State University," *Materials Evaluation*, 63:806-807.
- Rose, J.L., Mu, J., Van Velsor, J.K., 2007, "New Directions in Guided Wave Pipe Testing," *Materials Evaluation*, pp. 375-378.
- Rose, J.L., J. Mu, L. Zhang, and C.J. Lissenden, 2006, "Long range focused ultrasonic guided waves for corrosion detection in tubular structures," NACE Conference proceedings.
- Royer, R., Rose, J.L., 2005, "Ultrasonic Sensor System for CaF<sub>2</sub> Interface Monitoring with Rods Permanently Embedded in Crystal," *Crystal Research and Technology*, 40:761-764.
- Salas, R.M., West, J.S., Kotys, A.L, Schokker, A.J., Breen, J.E., and Kreger, M.E., 2005, "Accelerated Corrosion Testing and Evaluation of Internal Tendons in Post-Tensioned Concrete Beam Elements," Proceedings of the fib Symposium on Structural Concrete and Time, Vol. 1, La Plata, Argentina, pp. 3-10.
- Salas, R.S., West, J.S., Schokker, A.J., Kreger, M.E. and Breen J.E., 2005, "Long-Term Corrosion Testing and Evaluation of Partially Submerged Post-Tensioned Column Specimens," *Proceedings of the International Conference on Concrete for Transportation Infrastructure*, Dundee, Scotland, pp. 179-186.
- Salas, R.M., Schokker, A.J., West, J.S., Breen, J.E., Kreger, M.E., 2006, "Long-Term Corrosion Testing and Durability of Post-Tensioned Concrete Elements," *Proceedings of the 2nd fib Congress*, Vol. 2, Naples, Italy, 12 pp.
- Salcedo, E., Schokker, A.J., Kreger, M.E. and Breen, J.E., 2004, "Bond and Corrosion Studies of Emulsifiable Oils Used for Corrosion Protection in Post-Tensioned Tendons," *PTI Journal*, Vol. 2, No.1.
- Schokker, A.J., Breen, J.E., and Kreger, M.E., 2001, "Grouts for Bonded Post-Tensioning in Corrosive Environments," *ACI Materials Journal*, Vol. 98 No. 4, pp. 296-305.
- Schokker, A.J., West, J.E., Breen, and Kreger, M.E., 2001, "Durability in Post-Tensioned Bridges – Long-Term Exposure Specimens," *Proceedings of the International Conference on Structural Faults and Repair*, M.C. Forde, ed., London, England.
- Schokker, A.J., and Schupack, M., 2003, "Thixotropic Grouts for Durable Post-Tensioned Construction," *PTI Journal*, Vol. 1, No. 1, pp. 22-27.
- Schokker, A.J. and Brennan, J.D., 2005, "Monitoring during the Retrofit of Frank Lloyd Wright's Fallingwater House," *Proceedings of the International Conference on Applications of Codes, Design, and Regulations*, Dundee, Scotland, pp. 735-740.
- Schokker, A.J. and Moser, E.J., 2005, "Impact Resistance of Long Fiber Concrete," *Proceedings of the Canadian Society of Civil Engineers Annual Conference*, Toronto, Ontario.
- Seo, Y., G.R. Chehab, Y.R. Kim, 2005, "Viscoelastoplastic Characterization of Post-Peak Behavior of Asphalt-Aggregate Mixtures using Digital Image Correlation", accepted to the *International Journal of Geomechanics*, ASCE.



- Shen, H. and C.J. Lissenden, 2002, "3D finite element analysis of particle-reinforced aluminum," *Materials Science and Engineering A*, Vol. 338, pp. 271-281.
- Shen, H. and C.J. Lissenden, 2005, "Stress and strain localization 3D modeling for particle-reinforced metal matrix composites," *Metall. Mater. Trans.* Vol. 36A, pp. 1653-1660.
- Shull, P.J. and Tittmann, B.R., 2002, "Ultrasound," in *Nondestructive Evaluation: Theory, Techniques, and Applications*, (P.J. Shull, Ed.), Marcel Dekker, Inc., New York, NY, pp. 63-193.
- Sinha, S.K., Schokker, A.J. and Iyer, S.R., 2003, "Non-Contact Ultrasonic Imaging for Post-Tensioned Bridges to Investigate Void Status," *Proceedings of IEEE Sensors*, Vol. 1, pp. 487-492.
- Smith, K.M., Schokker, A.J., and Tikalsky, P.J., 2004, "The Performance of Supplementary Cementitious Materials in Concrete Resistivity and Corrosion Monitoring Evaluations," *ACI Materials Journal*, Vol. 101, No. 5, pp. 385-390.
- Solimine, P.A. and C.J. Lissenden, 2004, "Fatigue of beta titanium alloy at 20, 482, and 648 °C," *Fatigue Fract. Engng. Mater. Struct.* Vol. 27, pp. 943-955.
- Song, J.H., F. Costanzo, and B.L. Lee, 2004, "Fatigue of cord-rubber composites: cord reinforcement effect," *Rubber Chemistry and Technology*, Vol. 77, No. 4, pp. 593-610.
- Song, W.-J., Rose, J.L., Galan, J.M., Abascal, R., 2005, "Ultrasonic Guided Wave Scattering in a Plate Overlap," *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, 52:892-903.
- Su, J., T. Xu, S. Zhang, T. Shrout, and Q. M. Zhang, 2004, "An Electroactive Polymer-Ceramic Hybrid Actuation System for Enhanced Electromechanical Performance," *Appl. Phys. Lett.* Vol. 85:1045.
- Sun, Z., Zhang, L., Rose, J.L., 2005, "Flexural Torsional Guided Wave Mechanics and Focusing in Pipe," *ASME Transactions Journal of Pressure Vessel Technology*, 127:471-478.
- Sun, Z., Zhang, L., Rose, J.L., 2006, "Flexural Torsional Guided Wave Pipe Inspection," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 25:181-186.
- Tikalsky, P.J., Tepke, D.G., and Schokker, A.J., 2003, "Designing Highway Bridges for 75-100 Years," 2<sup>nd</sup> *International RILEM Workshop on Life Prediction and Aging Management of Concrete Structures*, Paris, France.
- Tittmann, B.R. and Crane, R., 2000, "Ultrasonic inspection of composites," *Comprehensive Composite Materials* (A. Kelly and C. Zweben, Ed.). Vol. 5, Chapter 12, Elsevier Science, New York, NY, pp. 259-320.
- Tittmann, B. R. and Miyasaka, C., 2002, "Scanning acoustic microscopy," in *Encyclopedia of Imaging Science and Technology*, (J.P. Hornack, Ed.), Wiley, New York, pp. 1228-1248.
- Tittmann, B. R., 2002, "History of acoustical imaging: A brief review of the early days of ultrasonic QNDE at the Rockwell Science Center," in *Acoustical Imaging Vol. 26*, (R.G. Maev, Ed.), Kluwer Academic/Plenum Publishers, New York, NY, pp. 37-44.
- Tittmann, B.R., 2005, "Sonic pressure vessel sensor," *J. Pressure Vessel Technol.* Vol. 127:226-229.
- Tittmann, B. R., and J. S. Sandman, 2007, "Towards an ultrasonic sensor for pressure vessels," *J. Pressure Vessel Technol.* in press.

- Van Velsor, J.K., Zhang, L., Breon, L.J., Rose, J.L., 2007, "Phased Array Focusing Potential in Pipe with Viscoelastic Coating," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 26:118-123.
- Xia, F., Z.Y. Cheng, and Q.M. Zhang, 2003, "In-air and Underwater Performance and Finite Element Analysis of a Flextensional Device Having Electrostrictive P(VDF-TrFE) Polymer as the Active Element," *IEEE Trans. UFFC* Vol. 50:932.
- Xia, F., S. Tadigadapa, and Q.M. Zhang, 2006, "Electroactive Polymer Based Microfluidic Pump," *Sensors & Actuators* Vol. A125:346.
- Xu, T.B., Z. Y. Cheng, and Q. M. Zhang, 2002, "High Performance Micromachined Actuators Based on Electrostrictive Poly(vinylidene fluoride-trifluoroethylene) Copolymer," *Appl. Phys. Lett.* Vol. 80:1082.
- Yan, F., Hauck, E.T., Mor Pera, T., Rose, J.L., 2007, "Ultrasonic Guided Wave Imagine of a Composite Plate with Air-Coupled Transducers," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 26:1007-1012.
- Zhang, L., Rose, J.L., Gavigan, B.J., 2005, "Natural Focusing Inspection for Pipes by Frequency Tuning," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 24:1557-1562.
- Zhang, L., Rose, J.L., 2005, "Guided Wave Particle Motion in a Hollow Cylinder," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 24:1952-1957.
- Zhang, L., Gavigan, B.J., Rose, J.L., 2006, "High Frequency Guided Wave Natural Focusing Pipe Inspection with Frequency and Angle Tuning," *ASME Transactions Journal of Pressure Vessel Technology*, 128:433-438.
- Zhang, L., Luo, W., Rose, J.L., 2006, "Ultrasonic Guided Wave Focusing Beyond Welds in a Pipeline," *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 25:877-884.
- Zhang, Q.M., H. Li, M. Poh, H. Xu, Z.Y. Cheng, F. Xia, C. Huang, 2002, "An all-organic Composite Actuator Material with High Dielectric Constant," *Nature*, Vol. 419:284.
- Zhang, Q.M., V. Bharti, and X. Zhao, 1998, "Giant Electrostrictive Response and Ferroelectric Relaxor Behavior in Electron Irradiated P(VDF-TrFE) Polymer," *Science*, Vol. 280:2101.
- Zhao, Xiaoliang, Rose, J.L., 2004, "Guided Circumferential Shear Horizontal Waves in an Isotropic Hollow Cylinder," *JASA*, 115:1912-1916.
- Zhao, X., Rose, J.L., Gao, H., 2006, "Determination of Density Distribution in Ferrous Powder Compacts Using Ultrasonic Tomography," *IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control*, 53:360-369.
- Zhao, X., Rose, J.L., 2004, "Three Dimensional Defect in a Plate Boundary Element Modeling for Guided Wave Scattering," *Key Engineering Materials, Advances in Nondestructive Evaluation*, 270-273:453-460.
- Zhao, X., Gao, H., Zhang, G., Ayhan, B., Yan, F., Kwan, C., Rose, J.L., 2007, "Active Health Monitoring of an Aircraft Wing with Embedded Piezoelectric Sensor/Actuator Network: I.

Defect Detection, Localization and Growth Monitoring,” *Smart Materials and Structures*, 16:1208-1217.

Zhu, Y., Hauck, E.T., Rose, J.L., 2006, “Novel Methods for Crack Detection in Green and Sintered Parts,” *Review of Progress in Quantitative Nondestructive Evaluation*, ed. by D.O. Thompson and D.E. Chimenti, 25:1507-1514.

Zureick, A., Linzell, D., Leon, R. T., and Burrell, J., 2000, “Curved Steel Bridges: Experimental and Analytical Studies,” *Engineering Structures*, v22, n2, pp. 180-190.